

Demo Questions

Cisco 300-535 Exam

Automating Cisco Service Provider Solutions (SPAUTO)

Thank you for downloading 300-535 Exam PDF

Question #1 *Topic 1*

DRAG DROP -

Drag and drop the steps from the left into the correct order on the right to deploy an already created service into NSO. Not all options are used.

Select and Place:

Log in to NSO CLI.	
Verify that the service has been properly loaded with "show packages package oper-status" command.	
Perform a "services reload" command.	
Move the service into \$NCS_DIR/packages directory.	
Perform a "packages reload" command.	
Move the service into \$NCS_PACKAGES directory.	
Run "make clean all" inside the service "src" directory.	
Verify that the service has been properly loaded with "show services service service-version" command.	

Correct Answer:

Log in to NSO CLI.	Move the service into \$NCS_PACKAGES directory.
Verify that the service has been properly loaded with "show packages package oper-status" command.	Log in to NSO CLI.
Perform a "services reload" command.	Run "make clean all" inside the service "src" directory.
Move the service into \$NCS_DIR/packages directory.	Perform a "packages reload" command.
Perform a "packages reload" command.	Verify that the service has been properly loaded with "show packages package oper-status" command.
Move the service into \$NCS_PACKAGES directory.	
Run "make clean all" inside the service "src" directory.	
Verify that the service has been properly loaded with "show services service service-version" command.	

Reference:

<https://www.ciscolive.com/c/dam/r/ciscolive/emea/docs/2019/pdf/LABSPG-2442.pdf>

Question #2*Topic 1*

What tool is used to perform a "what if" failure analysis in a service provider network that is running Segment Routing?

- A. Cisco WAN Automation Engine
- B. Cisco Evolved Programmable Network Manager
- C. Cisco Network Services Orchestrator
- D. Cisco Segment Routing Path Computation Element

Correct Answer: A

Reference:

<https://www.cisco.com/c/en/us/products/routers/wan-automation-engine/index.html>

Question #3*Topic 1*

```
curl --request DELETE --url http://10.1.1.1:8080/srpolicy-install --header 'cache-control: no-cache' --header 'content-type: application/json' --data '{"source": "1.1.1.2", "end-point": "2001:4860::1:1:1", "color": 99, "route-distinguisher": 2}'<br><!DOCTYPE html><br><html><br><head><br><title>404 Not Found</title><br></head><br><body><br><h1>Not Found</h1><br><hr><br><address> Server at localhost:8080 </address><br></body><br></html>
```

Refer to the exhibit. An engineer implements an automation with Cisco XTC. Which problem results in the 404 Not Found error code on the REST call?

- A. The resource that you are trying to delete does not exist.
- B. Port 8080 is not enabled on XTC.
- C. XTC does not offer any APIs.
- D. You must change the request method.

Correct Answer: B

Question #4 Topic 1

Which two Python libraries are used to write a script to retrieve network device information using RESTCONF? (Choose two.)

- A. PySNMP
- B. requests
- C. ncclient
- D. YANG
- E. json

Correct Answer: BE

Question #5 Topic 1

Which command configures the remote peer when the Cisco IOS XR Traffic Controller is used?

- A. peer-sync ipv4 192.168.0.3
- B. state ipv4 192.168.0.3
- C. peer ipv4 192.168.0.3
- D. state-sync ipv4 192.168.0.3

Correct Answer: *D*

Reference:

https://www.cisco.com/c/en/us/td/docs/routers/asr9000/software/asr9k-r6-2/segment-routing/configuration/guide/b-segment-routing-cg-asr9000-62x/b-seg-routing-cg-asr9000-62x_chapter_01001.html