Demo Questions

Cisco 300-810 Exam

Implementing Cisco Collaboration Applications (CLICA)

Thank you for downloading 300-810 Exam PDF

Question #1*Topic 1*

Which authentication method allows a user to log in to an SSO-enabled Cisco Unified Communications application by utilizing a Microsoft Windows login, thereby not requiring any credentials to be entered?

- A. Smart Card
- B. OAuth
- C. form-based
- D. Kerberos

Correct Answer: *B*

Reference:

https://developer.cisco.com/docs/cisco-unified-communications-single-sign-on-tutorial/#!cisco-un ified-communications-single-sign-on-tutorial/learning- more-about-sso

Question #2Topic 1

When Cisco IM and Presence is configured to use automatic fallback, how long does the Server Recovery Manager service wait for a failed service/server to remain active before an automatic fallback is initiated?

- A. 10 minutes
- B. 20 minutes
- C. 30 minutes
- D. 1 hour

Correct Answer: *C*

Reference:

https://www.cisco.com/c/en/us/support/docs/unified-communications/unified-communications-m anager-im-presence-service/200958-IM-and-Presence-Server-High-Availability.html

Question #3Topic 1

Which entity is a standard component used for authentication by SAML 2.0?

- A. identity provider
- B. session broker
- C. Internet service provider
- D. client access server

Correct Answer: A

Question #4Topic 1

An engineer must configure a test user mailbox in a newly deployed Cisco Unity Express module. Which console command set reflects the correct configuration in this scenario? A.

username testuser create username testuser pin 12345 username testuser phonenumber 4001 voicemail mailbox owner testuser

Β.

username testuser pin 12345 username testuser phonenumber 4001 voicemail mailbox owner testuser

C.

username testuser phonenumber 4001 username testuser pin 12345 voicemail mailbox owner testuser

D.

username testuser create username testuser pin 12345 username testuser phonenumber 4001 testuser@labdomain.com voicemail mailbox create testuser

Correct Answer: *A*

Question #5*Topic 1*

Which two command line arguments can you specify when installing Cisco Jabber for windows? (Choose two.)

- A. CISCO_UDS_DOMAIN
- B. TFTP_ADDRESS
- C. VOICEMAIL_SERVER_ADDRESS
- D. SERVICES_DOMAIN
- E. TFTP

Correct Answer: *DE*

Reference:

https://www.cisco.com/c/en/us/td/docs/voice_ip_comm/jabber/11_0/CJAB_BK_D657A25F_00_de ployment-installation-guide-jabber-110/

CJAB_BK_D657A25F_00_deployment-installation-guide-jabber-110_chapter_01100.html#JABW_RF _CE43EF4C_00