Demo Questions

Cisco 300-835 Exam

Cisco Automating Cisco Collaboration Solutions Exam

Thank you for downloading 300-835 Exam PDF

Questi	on: 1	

What is a benefit of using Python virtual environments?

- A. It isolates dependencies of every project from the system and each other.
- B. It allows Python to differentiate between package versions.
- C. It frees the developer from installing the project dependencies.
- D. It puts dependent packages in a common site-packages directory.

Answer: A

Question: 2

DRAG DROP

Drag and drop the botkit functions from the left onto the correct actions on the right.

Answer Area

hears()	Adds a question to the thread and evaluate the answer.
ask()	Sends a message with no pause for response.
say()	Replies to an incoming message.
reply()	Listens for keyword, phrases, or patterns in messages from users.

		-	
Ρ	_	-	ζ.

_	
Answer:	

Answer Area

hears()	ask()
ask()	say()
say()	reply()
reply()	hears()

Question: 3

Refer to the exhibit.

Which code snippet is used to mention the bot CiscoDevNet@webex.bot?

- A. <@personEmail.CiscoDevNet@webex.bot>
- B. @CiscoDevNet@webex.bot
- C. @personEmail.CiscoDevNet@webex.bot
- D. (@personEmail.CiscoDevNet@webex.bot)

Answer:	В

Question: 4

DRAG DROP

An administrator is creating a script using the Python xAPI over WebSockets (py xows) library. The goal of the script is to capture an event generated by a UI Extensions action button (former In-Room Control Panel).

When the action button is clicked, the script displays an alert that says that the button ID was clicked. Drag and drop the code snippets into the locations to complete the script:

Answer Area

Answer:

Answer Area

```
import xows
import asyncio
async def start(ip, usr, pw):
    async with xows.XowSclient(ip,username=usr, password=pw) as client:
    async def callback(data,id_):
        panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']
        await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelid, Text= "Was clicked")
        await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)
        await client.wait_until_closed()
async def task():
        await start('10.10.10.1', 'admin', 'T357c45e')

asyncio.run(task())
```

```
await client.xCommand(['UserInterface', 'Message', 'Alert', 'Display'], Title=panelid, Text= "Was clicked")

panelId = data['Event']['UserInterface']['Extensions']['Panel']['Clicked']['PanelId']

await start('10.10.10.1', 'admin', 'T357c45e')

await client.subscribe(['Event', 'UserInterface', 'Extensions', 'Panel', 'Clicked'], callback, True)

asyncio.run(task())
```

Question: 5

DRAG DROP

Drag and drop the code to complete the curl command that creates a halfwake brand logo using the xAPI HTTP API. Not all options are used. Code can be used more than one time.

Answer Area

curl -X POST "http	0://192.168.1.32	2/	w	\
-H "Content-Type	e: text/xml"			\
-H "Authorizatio	on:	cmVtb3R1c3	VwcG9ydDo2US82a0J	DYnJ0DQo="
-d " <command/>				
<pre><userinterface></userinterface></pre>				
<	>			
<up1< td=""><td>load></td><td></td><td></td><td></td></up1<>	load>			
	<type>Hal</type>	fwakeBranding </td <td>ľype></td> <td></td>	ľype>	
	<	>iVBO	Rw0KGgoAAAANSUhEU	gaaaraaaaeqcayaaa
B4CisVAAAAAXNSR0IA	Ars4c6QAAACBjSFJ	JNAAB6JgAAgIQAAP	oAAACA6AAAdTAAAOp	gAAA6mAAAF3CculE8
AAAACXBIWXMAABJ0AA	AASdAHeZh94AAABy	721UWHRYTUw6Y29C	C </td <td>></td>	>
<td>pload></td> <td></td> <td></td> <td></td>	pload>			
</td <td>></td> <td></td> <td></td> <td></td>	>			
<pre><userinterface></userinterface></pre>				
"				
	body	Branding	getxml	1
	body	Branding	gecxmi	
	Basic	putxml	Brand	
-	anfi connation	Digest	Boarer	- 1
Co	onfiguration	Digest	Bearer	
			-	A
			_	Answer:

Answer Area

Allewel Alea	
curl -X POST "http://192.168.1.32/ putxml "	<u> </u>
-H "Content-Type: text/xml"	\
-H "Authorization: Basic cmVtb3Rlc3VwcG9ydDo2US82a0JDYnJ0DQo="	\
-d " <command/>	•
<userinterface></userinterface>	
< Branding >	
<upload></upload>	
<type>HalfwakeBranding</type>	
< body >iVBORw0KGgoAAAANSUhEUgAAARAAAEQCAY	AAA
B4CisVAAAAAXNSR0IArs4c6QAAACBjSFJNAAB6JgAAgIQAAPoAAACA6AAAdTAAAOpgAAA6mAAAF3Ccu	1E8
AAAACXBIWXMAABJ0AAASdAHeZh94AAABy21UWHRYTUw6Y29CC <td></td>	
<userinterface></userinterface>	
"	
Described as the section of the sect	
body Branding getxml	
Basic putxml Brand	
Configuration Digest Bearer	