Demo Questions

IBM C1000-097 Exam

IBM Certified Solution Architect - Cloud Pak for Automation v20.0.1 Exam

Thank you for downloading C1000-097 Exam PDF

Question: 1	
What is the appropriate deployment strategy that refers to use a new version of evaluation while the old, stable version is used by production user and the new only when ready?	• •
A. Active-Active Deployment B. Active-Passive Deployment C. Blue-Green Deployment D. A/B Deployment	
	Answer: C
Question: 2	
Which statement is true about the integration between Robotic Process Automa Anywhere (RPA) and Business Automation Workflow (BAW)?	tion with Automation
A. Changing the mapping of the robotic task in BAW does not affect the integedecoupling of the components.B. A bot definition is generated from the activity in BAW to drive the integration.	
C. BAW does not support queue based setup of bots since it has no queuing abilit D. Teams should not be used for task assignment on RPA tasks since they are har human users.	ities.
	Answer: B
Question: 2	

Which statement is true concerning the REST integration ability provided by Business Automation Workflow?

- A. Calling the REST service in a service task as part of a service flow is dynamic and does not need service discovery.
- B. Unlike SOAP web services, REST services do not have a "server" configuration entity.
- C. Calling REST services through JavaScript can happen only after a corresponding external service has been defined through service discovery.
- D. When a REST service URL changes, service discovery happens automatically to replace the existing

	Answer: C
Question: 4	
What can be accomplished using Workflow Center Advanced mode?	
A. Archiving Process AppsB. Adding and Removing Users and User GroupsC. Creating TemplatesD. Importing Case Solutions	
	Answer: B
Question: 5	
Consider a scenario that starts with a case A that instantiates a Bus which, in its turn, invokes an Operational Decision Manager (ODM) rul When looking at the Business Automation Insights events emitted for statements are true?	le C.
A. In the events of the case A, the trace-id element is set to null. B. The parent-trace-id of the workflow B is set to the trace-id of case A C. In the events of the case A, the parent-span-id element is set to null D. The trace-id elements of all events in the sequence have the same v E. The parent-span-id element of both the workflow B and the ODN span-id element of case A	value.
	Answer: DE