Demo Questions

HP HPE6-A70 Exam

Aruba Certified Mobility Associate Exam

Thank you for downloading **HPE6-A70** Exam PDF

Question #1Topic 1

A network administrator creates the role employees and adds this rule to it: user any any permit The first several wireless clients assigned to the employees role are assigned IP addresses in the 10.10.10.0/24 subnet. Several other wireless clients with the employees role are then assigned IP addresses in the 10.10.20.0/24.

When the Aruba firewall matches traffic from these clients to the user any any permit rule, what does it do?

- A. It permits traffic from wireless clients in both the 10.10.10.0/24 and 10.10.20.0/24 subnet as long as the packet has a source IP.
- B. It permits the traffic from wireless clients in the 10.10.20.0/24 subnet, but drops the traffic from wireless clients in the 10.10.10.0/24 subnet.
- C. It drops traffic from wireless clients in both the 10.10.10.0/24 and 10.10.20.0/24 subnet.
- D. It permits the traffic from wireless clients in the 10.10.10.0/24 subnet, but drops the traffic from wireless clients in the 10.10.20.0/24 subnet.

Correct Answer: A

Question #2Topic 1

A company has many 7220 controllers in its Aruba wireless architecture. A network administrator wants to use the Traffic Analysis dashboard in order to monitor which type of applications are

being used by wireless users.
What is required for this implementation?

- A. AirMatch and ClientMatch must be enabled.
- B. The solution must have active PEFNG licenses.
- C. WLANs must use the decrypt-tunnel forwarding option.
- D. Firewall policies must include application filtering rules.

Correct Answer: *B*

Question #3Topic 1

A network administrator configures an Aruba Mobility Master (MM)-based solution to provide wireless access to employees. The solution must meet these criteria:

- ⇒ Authenticate users to a network RADIUS server.
- ⇒ Enforce different Aruba firewall rules based on the user department

How can the administrator meet these criteria in the simplest way?

- A. Create a different WLAN and SSID for each department. Apply different firewall policies to each WLAN.
- B. Have the RADIUS server send different roles for users in different departments. Apply role-based firewall policies.
- C. Create multiple zones on the MM. Assign different departments are sets of firewall policies to different zones.
- D. Have the RADIUS server assign users in different departments to different VLANs. Apply firewall
 policies based on IP ranges.

Correct Answer: B

Question #4Topic 1

A network administrator configures this policy:

```
ip access-list session Guest
    user any svc-dhcp permit
    user any netweork 10.0.0.0 255.0.0.0 deny
    user any any permit
```

Users to which this policy apply are unable to receive IP addresses with DHCP. How should the administrator fix the issue?

- A. Move the user any svc-dhcp permit rule to the bottom of the list.
- B. Remove the deny rule from the policy.
- C. Use the correct service alias in the user any svc-dhcp permit rule.
- D. Change user to any in the user any svc-dhcp permit rule.

Correct Answer: *C*

Question #5Topic 1

An Aruba solution runs ArubaOS 8 and uses a mobility master architecture. Which feature can network administrators use to balance wireless across APs on different channels?

- A. AppRF
- B. ARM
- C. Client Match
- D. AirMatch

Correct Answer: C