

Demo Questions

VERITAS VCS-277 Exam

Administration of Veritas NetBackup 8.0 and Appliances 3.0

Thank you for downloading **VCS-277** Exam PD

Question #1 *Topic 1*

A restore has failed with the following job details:

```
1/7/2017 4:02:23 PM - Info tar32(pid=48292) Restore started.
1/7/2017 4:02:23 PM - connected; connect time: 00:00:08
1/7/2017 4:17:33 PM - Error bptm(pid=5112) error requesting media, TpErrno =
Robot operation failed
1/7/2017 4:17:35 PM - current media Al2345 complete, requesting next resource
IBM.ULTRIUM - TD4.019:NetBackup:Al2345
1/7/2017 4:17:41 PM - awaiting resource IBM.ULTRIUM-TD4.019:NetBackup:Al2345 A
pending request has been generated for this resource request.
Operator action may be required. Pending Action: All drives down.,
Media ID: Al2345, Barcode: Al2345L4, Density: heart, Access Mode: Read,
Action Drive Name: N/A, Action media server: Media-02, Robot Number: 1, Robot
Type: TLD,
Volume Group: 000_00001_TLD, Action Acs: N/A, Action Lsm: N/A
```

Which two resources should the administrator use to troubleshoot this issue?
(Select two.)

- A. the bptmedia command
- B. the robtest command
- C. the operating system logs

- D. the logs from the NetBackup tar process
- E. the nbdevconfig command

Correct Answer: DE

Question #2Topic 1

An administrator observes intermittent connectivity issues between the appliance and clients. Which NetBackup Appliance Shell Menu (CLISH) command can the administrator use to assist in diagnosing the problem?

- A. Main_Menu > Support > DataCollect

- B. Main_Manu > Support > NBDNA
- C. Main_Menu > Support > iostat
- D. Main_Menu > Network > Show Status

Correct Answer: A

Reference -

<https://ashraflinux.wordpress.com/2016/07/01/manually-collecting-the-dat-acolect-logs-from-netb-ackup-appliance/>

Question #3Topic 1

Where in the Backup, Archive, and Restore interface for Microsoft Windows can an administrator define the source and destination client for a restore job?

- A. File > Select Files and Folders to Restore

- B. File > NetBackup Client Properties > General
- C. File > NetBackup Client Properties > Host Properties

- D. File > Specify NetBackup Machines and Policy Type

Correct Answer: A

Reference:

http://www.uni-jena.de/unijenamedia/NetBackup6_0_BAR_GS_Guide.pdf

Question #4Topic 1

Which two storage unit types can be configured in NetBackup? (Select two.)

- A. Deduplication

- B. NDMP

- C. Robot

- D. Media Manager

- E. Tape

Correct Answer: BD

Reference:

https://www.veritas.com/support/en_US/article.000117525

Question #5Topic 1

NetBackup has frozen some of the tapes added to the robot.

Which log must be enabled to determine why the tapes were frozen?

- A. Itid
- B. robots

•
C. bptm

• D. vmd

Correct Answer: C

Reference:

<https://vox.veritas.com/t5/NetBackup/Active-tapes-not-being-utilized/td-p/251695>